

# Ohio's Mathematics Standards Revision: Implications for Grades 6-12

Bradford R. Findell

Westerville Educator Day August 14, 2017

## History of Common Core State Standards

- 2007: Governors and state superintendents began discussing shared standards across interested states
- 2009: Common Core State Standards Initiative launched
  - 48 states participated in the development of standards in ELA and mathematics
  - Broad, bipartisan effort
- 2010: Common Core State Standards (CCSS) released
  - Ohio adopted the Common Core in June 2010 without modification
  - By late 2011, Common Core adopted by 45.5 states and the District of Columbia
  - A few states later dropped CCSS; other states "customized" CCSS

### Ohio's Standards Revision Infrastructure

- Public comment
  - Organized by standard
  - Called for claims, resolutions, and research/rationale
- Advisory Committee
  - Representatives of stakeholder organizations
  - Findell represented the Ohio Department of Higher Education
  - Reviewed public comments, provided directives for working groups
- Working Groups
  - Grade bands: K-5, 5-9, High School
- Ohio Department of Education staff

## Ohio's Standards Revision Timeline, 2016

- March: Standards posted for public comment
- April and May: Advisory Committee
- May and June: Working Groups
- July: Proposed revisions posted for public comment
- August and September: Working Groups and Advisory Committee
- October to December: Presentation to Legislature and State Board of Education
- February, 2017: Approval by the State Board of Education

## Revision Process, by the Numbers

- 385 mathematics standards reviewed online
- 242 standards received 647 public comments
- 100 standards and 10 additional directives forwarded to Working Groups
- 155 changes to standards
  - Most changes were about clarity, embedding footnotes, or "clarity by HS course"
  - 13 standards with proposed revisions reverted to original
  - 41 standards with substantive changes, deleted, moved, or new
- 23 changes to cluster headings
  - 14 changes for clarity, including 7 embedded footnotes
  - 9 changes for vertical alignment, including 3 new clusters

### Ohio Mathematics

- For more information, see the ODE Mathematics site:
  - <a href="http://education.ohio.gov/Topics/Learning-in-Ohio/Mathematics">http://education.ohio.gov/Topics/Learning-in-Ohio/Mathematics</a>

# Examples of Changes for Clarity

# Conforming to Convention

### **Original Standards**

relate volume to multiplication and to addition.

- **5.MD.5** Relate volume to the operations of multiplication and addition and solve real world and mathematical problems involving volume.
- **a.** Find the volume of a right rectangular prism with whole-number **a.** Find the volume of a right rectangular prism with whole-number side lengths by packing it with unit cubes, and show that the volume is the same as would be found by multiplying the edge lengths, equivalently by multiplying the height by the area of the base. Represent threefold whole-number products as volumes, e.g., to represent the associative property of multiplication.
- **b.** Apply the formulas  $V = I \times w \times h$  and  $V = b \times h$  for rectangular prisms to find volumes of right rectangular prisms with wholenumber edge lengths in the context of solving real world and mathematical problems.
- c. Recognize volume as additive. Find volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems.

### **Revised Standards**

Geometric measurement: understand concepts of volume and Geometric measurement: understand concepts of volume and relate volume to multiplication and to addition.

- **5.MD.5** Relate volume to the operations of multiplication and addition and solve real-world and mathematical problems involving volume.
- side lengths by packing it with unit cubes, and show that the volume is the same as would be found by multiplying the edge lengths, equivalently by multiplying the height by the area of the base. Represent threefold whole-number products as volumes, e.g., to represent the Associative Property of Multiplication.
- **b.** Apply the formulas  $V = I \times w \times h$  and  $V = B \times h$  for rectangular prisms to find volumes of right rectangular prisms with wholenumber edge lengths in the context of solving real-world and mathematical problems.
- c. Recognize volume as additive. Find volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real-world problems.

# Transforming Without Coordinates

Original Standards	Revised Standards
<ul> <li>Understand congruence and similarity using physical models, transparencies, or geometry software.</li> <li>8.G.1 Verify experimentally the properties of rotations, reflections, and translations:</li> <li>a. Lines are taken to lines, and line segments to line segments of the same length.</li> <li>b. Angles are taken to angles of the same measure.</li> <li>c. Parallel lines are taken to parallel lines.</li> </ul>	Understand congruence and similarity using physical models, transparencies, or geometry software.  8.G.1 Verify experimentally the properties of rotations, reflections, and translations (include examples both with and without coordinates).  a. Lines are taken to lines, and line segments are taken to line segments of the same length.  b. Angles are taken to angles of the same measure.  c. Parallel lines are taken to parallel lines.
transparencies, or geometry software.  8.G.2 Understand that a two-dimensional figure is congruent to	Understand congruence and similarity using physical models, transparencies, or geometry software.  8.G.2 Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations; given two congruent figures, describe a sequence that exhibits the congruence between them. (Include examples both with and without coordinates.)



# Broadening Views of Proof

Original Standards	Revised Standards
Understand and apply the Pythagorean Theorem. 8.G.6 Explain a proof of the Pythagorean Theorem and its converse.  Prove geometric theorems. G.CO.9 Prove theorems about lines and angles. Theorems include: vertical angles are congruent; when a transversal crosses parallel lines, alternate interior angles are congruent and corresponding angles are congruent; points on a perpendicular bisector of a line segment are exactly those equidistant from the segment's endpoints.	Understand and apply the Pythagorean Theorem. 8.G.6 Analyze and justify an informal proof of the Pythagorean Theorem and its converse.  Prove geometric theorems both formally and informally using a variety of methods. G.CO.9 Prove and apply theorems about lines and angles.  Theorems include but are not restricted to the following: vertical angles are congruent; when a transversal crosses parallel lines, alternate interior angles are congruent and corresponding angles are congruent; points on a perpendicular bisector of a line segment are exactly those equidistant from the segment's endpoints.
<b>Prove theorems involving similarity. G.SRT.4</b> Prove theorems about triangles. Theorems include: a line parallel to one side of a triangle divides the other two proportionally, and conversely; the Pythagorean Theorem proved using triangle similarity.	Prove and apply theorems both formally and informally involving similarity using a variety of methods.  G.SRT.4 Prove and apply theorems about triangles. Theorems include but are not restricted to the following: a line parallel to one side of a triangle divides the other two proportionally, and conversely; the Pythagorean Theorem proved using triangle similarity.



# Being Explicit About Intended Proofs

Original Standards	Revised Standards
Understand and apply theorems about circles. G.C.1 Prove that all circles are similar.	Understand and apply theorems about circles.  G.C.1 Prove that all circles are similar using transformational arguments.
<b>Understand and apply theorems about circles. G.C.2</b> Identify and describe relationships among inscribed angles, radii, and chords. <i>Include the relationship between central, inscribed, and circumscribed angles; inscribed angles on a diameter are right angles; the radius of a circle is perpendicular to the tangent where the radius intersects the circle.</i>	Understand and apply theorems about circles. G.C.2 Identify and describe relationships among angles, radii, chords, tangents, and arcs and use them to solve problems. Include the relationship between central, inscribed, and circumscribed angles and their intercepted arcs; inscribed angles on a diameter are right angles; the radius of a circle is perpendicular to the tangent where the radius intersects the circle.
Understand and apply theorems about circles. G.C.3 Construct the inscribed and circumscribed circles of a triangle, and prove properties of angles for a quadrilateral inscribed in a circle.	Understand and apply theorems about circles. G.C.3 Construct the inscribed and circumscribed circles of a triangle; prove and apply the property that opposite angles are supplementary for a quadrilateral inscribed in a circle.

# Justifying and Verifying Sometimes

Original Standards	Revised Standards
Use coordinates to prove simple geometric theorems algebraically.  G.GPE.5 Prove the slope criteria for parallel and perpendicular lines and use them to solve geometric problems (e.g., find the equation of a line parallel or perpendicular to a given line that passes through a given point).	Use coordinates to prove simple geometric theorems algebraically and to verify specific geometric statements.  G.GPE.5 Justify the slope criteria for parallel and perpendicular lines, and use them to solve geometric problems, e.g., find the equation of a line parallel or perpendicular to a given line that passes through a given point.
Solve systems of equations.  A.REI.5 Prove that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a system with the same solutions.	Solve systems of equations.  A.REI.5 Verify that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a system with the same solutions.



# Using More Friendly Language

Original Standards	Revised Standards
Use properties of operations to generate equivalent expressions.  7.EE.2 Understand that rewriting an expression in different forms in a problem context can shed light on a problem and how its quantities in it are related. For example, a + 0.05a = 1.05a means that "increase by 5%" is the same as "multiply by 1.05."	Use properties of operations to generate equivalent expressions.  7.EE.2 In a problem context, understand that rewriting an expression in an equivalent form can reveal and explain properties of the quantities represented by the expression and can reveal how those quantities are related. For example, a discount of 15% (represented by $p - 0.15p$ ) is equivalent to $(1 - 0.15)p$ , which is equivalent to $0.85p$ or finding $85\%$ of the original price.
Understand the relationship between zeros and factors of polynomials.  A.APR.3 Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial.  Perform arithmetic operations with complex numbers.  N.CN.3 (+) Find the conjugate of a complex number; use conjugates to find moduli and quotients of complex numbers.	Understand the relationship between zeros and factors of polynomials.  A.APR.3 Identify zeros of polynomials, when factoring is reasonable, and use the zeros to construct a rough graph of the function defined by the polynomial.  Perform arithmetic operations with complex numbers.  N.CN.3 (+) Find the conjugate of a complex number; use conjugates to find magnitudes and quotients of complex numbers.

## Clarifying by High School Course

### **Original Standards**

#### Analyze functions using different representations.

- F.IF.7 Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.\*
- a. Graph linear and quadratic functions and show intercepts, maxima, and minima.
- **b.** Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions.
- **c.** Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior.
- d. (+) Graph rational functions, identifying zeros and asymptotes when suitable factorizations are available, and showing end behavior.
- e. Graph exponential and logarithmic functions, showing intercepts e. Graph simple exponential functions, indicating intercepts and and end behavior, and trigonometric functions, showing period, midline, and amplitude.

### **Revised Standards**

### Analyze functions using different representations.

- F.IF.7 Graph functions expressed symbolically and indicate key features of the graph, by hand in simple cases and using technology for more complicated cases. Include applications and how key features relate to characteristics of a situation, making selection of a particular type of function model appropriate.\*
- a. Graph linear functions and indicate intercepts. (A1, M1)
- **b.** Graph quadratic functions and indicate intercepts, maxima, and minima. (A1, M2)
- c. Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions. (A2, M3)
- d. Graph polynomial functions, identifying zeros, when factoring is reasonable, and indicating end behavior. (A2, M3)
- end behavior. (A1, M1)
- f. Graph exponential functions, indicating intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude. (A2, M3)
- g. (+) Graph rational functions, identifying zeros and asymptotes, when factoring is reasonable, and indicating end behavior.
- h. (+) Graph logarithmic functions, indicating intercepts and end behavior.

# Examples of Substantive Changes



# Order of Operations Postponed to Grade 6

Original Standards	Revised Standards
Solve problems involving the four operations, and identify and explain patterns in arithmetic.  3.OA.8 Solve two-step word problems using the four operations. Represent these problems using equations with a letter standing for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies including rounding.	Solve problems involving the four operations, and identify and explain patterns in arithmetic.  3.OA.8 Solve two-step word problems using the four operations. Represent these problems using equations with a letter or a symbol, which stands for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies including rounding. This standard is limited to problems posed with whole numbers and having whole-number answers. Students may use parentheses for clarification since algebraic order of operations is not expected.
Write and interpret numerical expressions.  5.OA.1 Use parentheses, brackets, or braces in numerical expressions, and evaluate expressions with these symbols.	Write and interpret numerical expressions.  5.OA.1 Use parentheses in numerical expressions, and evaluate expressions with this symbol. Formal use of algebraic order of operations is not necessary.

# Order of Operations

#### **Original Standards Revised Standards** Apply and extend previous understandings of arithmetic to Apply and extend previous understandings of arithmetic to algebraic expressions. algebraic expressions. **6.EE.2** Write, read, and evaluate expressions in which letters **6.EE.2** Write, read, and evaluate expressions in which letters stand for numbers. stand for numbers. **a.** Write expressions that record operations with numbers and with **a.** Write expressions that record operations with numbers and with letters standing for numbers. For example, express the calculation letters standing for numbers. For example, express the calculation "Subtract y from 5" as 5 - y. "Subtract v from 5" as 5 – v. **b.** Identify parts of an expression using mathematical terms (sum, **b.** Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, coefficient); view one or more parts term, product, factor, quotient, coefficient); view one or more parts of an expression as a single entity. For example, describe the of an expression as a single entity. For example, describe the expression 2 (8 + 7) as a product of two factors; view (8 + 7) as expression 2(8 + 7) as a product of two factors; view (8 + 7) as both a single entity and a sum of two terms. both a single entity and a sum of two terms. **c.** Evaluate expressions at specific values of their variables. c. Evaluate expressions at specific values of their variables. Include expressions that arise from formulas used in real-world Include expressions that arise from formulas used in real-world problems. Perform arithmetic operations, including those involving problems. Perform arithmetic operations, including those involving whole-number exponents, in the conventional order when there whole-number exponents, using the algebraic order of operations are no parentheses to specify a particular order (Order of when there are no parentheses to specify a particular order. For Operations). For example, use the formulas $V = s^3$ and $A = 6s^2$ to example, use the formulas $V = s^3$ and $A = 6s^2$ to find the volume find the volume and surface area of a cube with sides of length s = and surface area of a cube with sides of length s = 1/2. 1/2.

# Geometry Progression

# Polygons and Properties

Original Standards	Revised Standards
Reason with shapes and their attributes.  3.G.1 Understand that shapes in different categories (e.g., rhombuses, rectangles, and others) may share attributes (e.g., having four sides), and that the shared attributes can define a larger category (e.g., quadrilaterals). Recognize rhombuses, rectangles, and squares as examples of quadrilaterals, and draw examples of quadrilaterals that do not belong to any of these subcategories.	Reason with shapes and their attributes.  3.G.1 Draw and describe triangles, quadrilaterals (rhombuses, rectangles, and squares), and polygons (up to 8 sides) based on the number of sides and the presence or absence of square corners (right angles).
Classify two-dimensional figures into categories based on their properties.  5.G.3 Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.	Classify two-dimensional figures into categories based on their properties.  5.G.3 Identify and describe commonalities and differences between types of triangles based on angle measures (equiangular, right, acute, and obtuse triangles) and side lengths (isosceles, equilateral, and scalene triangles).
Classify two-dimensional figures into categories based on their properties.  5.G.4 Classify two-dimensional figures in a hierarchy based on properties.	Classify two-dimensional figures into categories based on their properties.  5.G.4 Identify and describe commonalities and differences between types of quadrilaterals based on angle measures, side lengths, and the presence or absence of parallel and perpendicular lines, e.g., squares, rectangles, parallelograms, trapezoids, and rhombuses.



# Polygons and Properties (cont.)

Original Standards	Revised Standards
Draw, construct, and describe geometrical figures and describe the relationships between them.  7.G.2 Draw (freehand, with ruler and protractor, and with technology) geometric shapes with given conditions. Focus on constructing triangles from three measures of angles or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.	Draw, construct, and describe geometrical figures and describe the relationships between them.  7.G.2 Draw (freehand, with ruler and protractor, and with technology) geometric figures with given conditions.  a. Focus on constructing triangles from three measures of angles or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.  b. Focus on constructing quadrilaterals with given conditions noticing types and properties of resulting quadrilaterals and whether it is possible to construct different quadrilaterals using the same conditions.
New Standard	Classify and analyze geometric figures.  G.CO.14 Classify two-dimensional figures in a hierarchy based on properties.



# Symmetry

Original Standards	Revised Standards
Draw and identify lines and angles, and classify shapes by properties of their lines and angles.  4.G.3 Recognize a line of symmetry for a two-dimensional figure as a line across the figure such that the figure can be folded along the line into matching parts. Identify line-symmetric figures and draw lines of symmetry.	Deleted Standard
Experiment with transformations in the plane. G.CO.3 Given a rectangle, parallelogram, trapezoid, or regular polygon, describe the rotations and reflections that carry it onto itself.	Experiment with transformations in the plane. G.CO.3 Identify the symmetries of a figure, which are the rotations and reflections that carry it onto itself. a. Identify figures that have line symmetry; draw and use lines of symmetry to analyze properties of shapes. b. Identify figures that have rotational symmetry; determine the angle of rotation, and use rotational symmetry to analyze properties of shapes.



# Circles

Original Standards	Revised Standards
Solve real-life and mathematical problems involving angle measure, area, surface area, and volume.  7.G.4 Know the formulas for the area and circumference of a circle and use them to solve problems; give an informal derivation of the relationship between the circumference and area of a circle.	
Find arc lengths and areas of sectors of circles.  G.C.5 Derive using similarity the fact that the length of the arc intercepted by an angle is proportional to the radius, and define the radian measure of the angle as the constant of proportionality; derive the formula for the area of a sector.	Find arc lengths and areas of sectors of circles. G.C.5 Find arc lengths and areas of sectors of circles. a. Apply similarity to relate the length of an arc intercepted by a central angle to the radius. Use the relationship to solve problems. (G, M2) b. Derive the formula for the area of a sector, and use it to solve problems. (G, M2)
New Standard	Find arc lengths and areas of sectors of circles.  G.C.6 Derive formulas that relate degrees and radians, and convert between the two. (A2, M3)

# Similarity

Original Standards	Revised Standards
Draw, construct, and describe geometrical figures and describe the relationships between them.  7.G.1 Solve problems involving scale drawings of geometric figures, including computing actual lengths and areas from a scale drawing and reproducing a scale drawing at a different scale.	Draw, construct, and describe geometrical figures and describe the relationships between them.  7.G.1 Solve problems involving similar figures with right triangles, other triangles, and special quadrilaterals.  a. Compute actual lengths and areas from a scale drawing and reproduce a scale drawing at a different scale.  b. Represent proportional relationships within and between similar figures.
New Standard	<ul><li>Understand the relationships between lengths, area, and volumes.</li><li>G.GMD.5 Understand how and when changes to the measures of a figure (lengths or angles) result in similar and non-similar figures.</li></ul>
New Standard	Understand the relationships between lengths, area, and volumes.  G.GMD.6 When figures are similar, understand and apply the fact that when a figure is scaled by a factor of $k$ , the effect on lengths, areas, and volumes is that they are multiplied by $k$ , $k^2$ , and $k^3$ , respectively.

# Statistics in Grades 6 and 7

### GAISE Model in Grade 6

### **Original Standards**

#### **Develop understanding of statistical variability.**

**6.SP.1** Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for it in the answers. For example, "How old am I?" is not a statistical question, but "How old are the students in my school?" is a statistical question because one anticipates variability in students' ages.

### **Revised Standards**

### Develop understanding of statistical problem solving.

- **6.SP.1** Develop statistical reasoning by using the GAISE model:
- **a.** Formulate Questions: Recognize and formulate a statistical question as one that anticipates variability and can be answered with quantitative data. For example, "How old am I?" is not a statistical question, but "How old are the students in my school?" is a statistical question because of the variability in students' ages. (GAISE Model, step 1)
- **b.** Collect Data: Design and use a plan to collect appropriate data to answer a statistical question. (GAISE Model, step 2)
- **c.** Analyze Data: Select appropriate graphical methods and numerical measures to analyze data by displaying variability within a group, comparing individual to individual, and comparing individual to group. (GAISE Model, step 3)
- **d.** Interpret Results: Draw logical conclusions from the data based on the original question. (GAISE Model, step 4)

### Reiterate GAISE Model in Grade 7

### **Original Standards**

**7.SP.2** Use data from a random sample to draw inferences about a **7.SP.2** Broaden statistical reasoning by using the GAISE model. population with an unknown characteristic of interest. Generate multiple samples (or simulated samples) of the same size to gauge the variation in estimates or predictions. For example, estimate the mean word length in a book by randomly sampling words from the book; predict the winner of a school election based (GAISE Model, step 1) on randomly sampled survey data. Gauge how far off the estimate b. Collect Data: Design and use a plan to collect appropriate data or prediction might be.

#### **Revised Standards**

### Use random sampling to draw inferences about a population. Broaden understanding of statistical problem solving.

- a. Formulate Questions: Recognize and formulate a statistical question as one that anticipates variability and can be answered with quantitative data. For example, "How do the heights of seventh graders compare to the heights of eighth graders?"
- to answer a statistical question. (GAISE Model, step 2)
- c. Analyze Data: Select appropriate graphical methods and numerical measures to analyze data by displaying variability within a group, comparing individual to individual, and comparing individual to group. (GAISE Model, step 3)
- d. Interpret Results: Draw logical conclusions and make generalizations from the data based on the original question. (GAISE Model, step 4)

### Remove MAD from Grade 6

### **Original Standards**

#### Summarize and describe distributions.

- **6.SP.5** Summarize numerical data sets in relation to their context, such as by:
- a. Reporting the number of observations.
- **b.** Describing the nature of the attribute under investigation, including how it was measured and its units of measurement.
- **c.** Giving quantitative measures of center (median and/or mean) and variability (interquartile range and/or mean absolute deviation), as well as describing any overall pattern and any striking deviations from the overall pattern with reference to the context in which the data were gathered.
- **d.** Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data were gathered.

### **Revised Standards**

#### Summarize and describe distributions.

- **6.SP.5** Summarize numerical data sets in relation to their context.
- **a.** Report the number of observations.
- **b.** Describe the nature of the attribute under investigation, including how it was measured and its units of measurement.
- **c.** Find the quantitative measures of center (median and/or mean) for a numerical data set and recognize that this value summarizes the data set with a single number. Interpret mean as an equal or fair share. Find measures of variability (range and interquartile range) as well as informally describe the shape and the presence of clusters, gaps, peaks, and outliers in a distribution.
- **d.** Choose the measures of center and variability, based on the shape of the data distribution and the context in which the data were gathered.

### Include MAD in Grade 7

### **Original Standards**

Draw informal comparative inferences about two populations. Summarize and describe distributions representing one 7.SP.3 Informally assess the degree of visual overlap of two numerical data distributions with similar variabilities, measuring the populations. difference between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.

### **Revised Standards**

population and draw informal comparisons between two

**7.SP.3** Describe and analyze distributions.

- a. Summarize quantitative data sets in relation to their context by using mean absolute deviation (MAD), interpreting mean as a balance point.
- **b.** Informally assess the degree of visual overlap of two numerical data distributions with roughly equal variabilities, measuring the difference between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot (line plot), the separation between the two distributions of heights is noticeable.



# Move Sampling and Inference to HS

### **Original Standards**

Use random sampling to draw inferences about a population. **7.SP.1** Understand that statistics can be used to gain information about a population by examining a sample of the population; generalizations about a population from a sample are valid only if the sample is representative of that population. Understand that random sampling tends to produce representative samples and support valid inferences.

Draw informal comparative inferences about two populations. Deleted Standard **7.SP.4** Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourthgrade science book.

### **Revised Standards**

Use sampling to draw conclusions about a population.

- **7.SP. 1** Understand that statistics can be used to gain information about a population by examining a sample of the population.
- **a.** Differentiate between a sample and a population.
- **b.** Understand that conclusions and generalizations about a population are valid only if the sample is representative of that population. Develop an informal understanding of bias.

# Other Content Adjustments

# Inverses of Functions

Original Standards	Revised Standards
<b>Build new functions from existing functions. F.BF.4</b> Find inverse functions. <b>a.</b> Solve an equation of the form $f(x) = x$ for a simple function f that has an inverse and write an expression for the inverse. For example, $f(x) = 2x^3$ or $f(x) = (x+1)/(x-1)$ for $x \ne 1$ . <b>b.</b> (+) Verify by composition that one function is the inverse of another. <b>c.</b> (+) Read values of an inverse function from a graph or a table, given that the function has an inverse. <b>d.</b> (+) Produce an invertible function from a non-invertible function by restricting the domain.	Build new functions from existing functions.  F.BF.4 Find inverse functions.  a. Informally determine the input of a function when the output is known. (A1, M1)  b. (+) Read values of an inverse function from a graph or a table, given that the function has an inverse. (A2, M3)  c. (+) Verify by composition that one function is the inverse of another. (A2, M3)  d. (+) Find the inverse of a function algebraically, given that the function has an inverse. (A2, M3)  e. (+) Produce an invertible function from a non-invertible function by restricting the domain.



# Standards Partly Removed

Original Standards	Revised Standards
Know that there are numbers that are not rational, and approximate them by rational numbers.  8.NS.1 Know that numbers that are not rational are called irrational. Understand informally that every number has a decimal expansion; for rational numbers show that the decimal expansion repeats eventually, and convert a decimal expansion which repeats eventually into a rational number.	Know that there are numbers that are not rational, and approximate them by rational numbers.  8.NS.1 Know that real numbers are either rational or irrational. Understand informally that every number has a decimal expansion which is repeating, terminating, or is non-repeating and non-terminating.

# Standards Changed to (+)

Revised Standards
Translate between the geometric description and the equation
for a conic section.
G.GPE.2 (+) Derive the equation of a parabola given a focus and
directrix.
Write expressions in equivalent forms to solve problems.
A.SSE.4 (+) Derive the formula for the sum of a finite geometric
series (when the common ratio is not 1), and use the formula to solve problems. For example, calculate mortgage payments.*

# Standards Partly Changed to (+)

Original Standards	Revised Standards
Define trigonometric ratios and solve problems involving right triangles.  G.SRT.8 Use trigonometric ratios and the Pythagorean Theorem to solve right triangles in applied problems.*	
solve right triangles in applied problems.*	<ul> <li>a. Use trigonometric ratios and the Pythagorean Theorem to solve right triangles in applied problems if one of the two acute angles and a side length is given. (G, M2)</li> <li>b. (+) Use trigonometric ratios and the Pythagorean Theorem to</li> </ul>
Solve equations and inequalities in one variable.	Solve right triangles in applied problems.* (Alg 2, M3)  Solve equations and inequalities in one variable.
<b>A.REI.4</b> Solve quadratic equations in one variable. <b>a.</b> Use the method of completing the square to transform any quadratic equation in $x$ into an equation of the form $(x - p)^2 = q$	<b>A.REI.4</b> Solve quadratic equations in one variable. <b>a.</b> Use the method of completing the square to transform any quadratic equation in $x$ into an equation of the form $(x - p)^2 = q$
that has the same solutions. Derive the quadratic formula from this form. <b>b.</b> Solve quadratic equations by inspection e.g., for $x^2 = 49$ , taking square roots, completing the square, the quadratic formula and	that has the same solutions. <b>b.</b> Solve quadratic equations as appropriate to the initial form of the equation by inspection, e.g., for $x^2 = 49$ ; taking square roots; completing the square; applying the quadratic formula; or utilizing
factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as $a \pm bi$ for real numbers $a$ and $b$ .	the Zero-Product Property after factoring.  (+) <b>c.</b> Derive the quadratic formula using the method of completing the square.

# Key Features and Challenges

- Checks and balances
- Getting the right people involved
- Higher education involvement
- Encouraging learning through the standards

# Continuing Needs

- More focus in the high school
- More polish in the geometry progression
- Support for proof, in more than geometry
- Support for career-intending students